



CONNECTORS

“

Un perfetto trasferimento di segnale, che sia audio, video o dati, passa per un connettore affidabile. Per questo i connettori e gli adattatori Bespeco sono realizzati seguendo meticolose procedure che garantiscono una perfetta aderenza tra le connessioni e tolleranza zero in materia di disturbi indotti da imperfezioni fisiche.

Nel nostro catalogo sono presenti molte tipologie di connettori progettati e costruiti in diversi materiali, con e senza connessioni dorate.

Per completare la serie, è presente una selezione di connettori Neutrik® per audio, video, dati e distribuzione elettrica.

A perfect signal transmission, whether it is audio, video or data, needs a reliable connector. That is why Bespeco's connectors and adaptors are made respecting meticulous processes, which grant a perfect adherence among connections and zero tolerance in terms of noise created by defects.

Our catalogue includes many kinds of connectors, made of different materials, with and without gold plated connections. A selection of audio, video, data and electrical distribution Neutrik®'s connectors is also available to complete our offer.

”



Connettori jack Neutrik® Ø 6,3 mm Neutrik® Ø 6,3 mm jack connectors	338
Connettori cannon Neutrik® Neutrik® cannon connectors	341
Connettori Speakon® Neutrik® Neutrik® Speakon® connectors	343
Connettori PowerCon® Neutrik® Neutrik® PowerCon® connectors	344
Connettori Neutrik® per trasmissione dati Neutrik® data transmission connectors	345
Connettori Cannon Cannon connectors	346
Connettori jack maschio Jack plug connectors	350
Connettori jack femmina Jack socket connectors	357
Connettori mini cannon Mini cannon connectors	361
Connettori per speaker Speaker connectors	363
Connettori RCA maschio RCA plug connectors	364
Connettori RCA femmina RCA socket connectors	366
Connettori DIN DIN connectors	367
Connettori video Video connectors	368
Connettori RJ45 e SUB "D" RJ45 and SUB "D" connectors	370
Connettori VDE VDE connectors	371
Adattatori Silos Silos adaptors	372
Connettori adattatori Adaptor connectors	378

CONNETTORI JACK NEUTRIK® Ø 6,3 mm NEUTRIK® Ø 6,3 mm JACK CONNECTORS

NP2X



- Spina jack mono Ø 6,3 mm con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- Ø 6,3 mm mono jack plug with nickel shell, silver plated contacts, chuck type strain relief and rubber cable guide

NP3X



- Spina jack stereo Ø 6,3 mm con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- Ø 6,3 mm stereo jack plug with nickel shell, silver plated contacts, chuck type strain relief and rubber cable guide

NP2XB



- Spina jack mono Ø 6,3 mm con corpo in metallo, contatti dorati e pinza interna stringicavo. Guida cavo in gomma. Colore nero
- Ø 6,3 mm mono jack plug with black nickel shell, gold plated contacts, chuck type strain relief and rubber cable guide. Black color

NP3XB



- Spina jack stereo Ø 6,3 mm con corpo in metallo, contatti dorati e pinza interna stringicavo. Guida cavo in gomma. Colore nero
- Ø 6,3 mm stereo jack plug with black nickel shell, gold plated contacts, chuck type strain relief and rubber cable guide. Black color

NP2RXS



- Spina jack mono Ø 6,3 mm 90° con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- Ø 6,3 mm right-angle mono jack plug with nickel shell, silver plated contacts, chuck type strain relief and rubber cable guide

NP3RXS



- Spina jack stereo Ø 6,3 mm 90° con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- Ø 6,3 mm right-angle stereo jack plug with nickel shell, silver plated contacts, chuck type strain relief and rubber cable guide

NP2RXB



- Spina jack mono Ø 6,3 mm 90° con corpo in metallo, contatti dorati e pinza interna stringicavo. Guida cavo in gomma. Colore nero
- Ø 6,3 mm right-angle mono jack plug with black nickel shell, gold plated contacts, chuck type strain relief and rubber cable guide. Black color

NP3RXB



- Spina jack stereo Ø 6,3 mm 90° con corpo in metallo, contatti dorati e pinza interna stringicavo. Guida cavo in gomma. Colore nero
- Ø 6,3 mm right-angle stereo jack plug with black nickel shell, gold plated contacts, chuck type strain relief and rubber cable guide. Black color

NP2XXAU



- Spina jack mono Ø 6,3 mm con SILENT switch, corpo in metallo con copertura in gomma, contatti dorati e pinza interna stringicavo. Guida cavo in gomma
- Ø 6,3 mm gold plated mono jack plug with SILENT switch, nickel shell with rubberized surface, gold plated contacts, chuck type strain relief and rubber cable guide

NP2RXAU



- Spina jack mono Ø 6,3 mm 90° con SILENT switch, corpo in metallo rosso, contatti dorati e pinza interna stringicavo. Guida cavo in gomma
- Ø 6,3 mm right-angle gold plated mono jack plug with SILENT switch, red nickel shell, gold plated contacts, chuck type strain relief and rubber cable guide

A close-up, high-contrast photograph of a Neutrik Cannon connector. The connector is cylindrical with a brushed metal finish. It features a locking collar with a lever that has the Neutrik logo (a stylized 'N' inside a circle) embossed on it. The front face of the connector shows the internal pin contacts. The background is dark, making the metallic surface stand out. An orange rectangular border is overlaid on the lower portion of the image, containing the text.

**CONNETTORI CANNON NEUTRIK®
NEUTRIK® CANNON CONNECTORS**

NC3FXX



- Cannon femmina volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole cannon female with nickel housing, silver plated contacts, chuck type strain relief and rubber cable guide*

NC3FXXB



- Cannon femmina volante 3 poli con corpo in metallo, contatti dorati e pinza interna stringicavo. Guida cavo in gomma. Colore nero
- *3 pole cannon female with black metal housing, gold plated contacts, chuck type strain relief and rubber cable guide. Black color*

NC4FXX



- Cannon femmina volante 4 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *4 pole cannon female with nickel housing, silver plated contacts, chuck type strain relief and rubber cable guide*

NC5FXX



- Cannon femmina volante 5 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *5 pole cannon female with nickel housing, silver plated contacts, chuck type strain relief and rubber cable guide*

NC3MXX



- Cannon maschio volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole cannon male with nickel housing, silver plated contacts, chuck type strain relief and rubber cable guide*

NC3MXXB



- Cannon maschio volante 3 poli con corpo in metallo, contatti dorati e pinza interna stringicavo. Guida cavo in gomma. Colore nero
- *3 pole cannon male with black metal housing, gold plated contacts, chuck type strain relief and rubber cable guide. Black color*

NC4MXX



- Cannon maschio volante 4 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *4 pole cannon male with nickel housing, silver plated contacts, chuck type strain relief and rubber cable guide*

NC5MXX



- Cannon maschio volante 5 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *5 pole cannon male with nickel housing, silver plated contacts, chuck type strain relief and rubber cable guide*

NC3FP1



- Cannon femmina 3 poli da pannello con corpo in metallo flangia passo "D". Sistema di bloccaggio, connessioni a saldare argentate
- *3 pole panel mount cannon female "D" shape flange and nickel housing. Push lock system and silver plated solder contacts*

NC3FPX



- Cannon femmina 3 poli da pannello con corpo in metallo flangia passo "D". Sistema di bloccaggio, connessioni a saldare argentate
- *3 pole panel mount cannon female "D" shape flange and nickel housing. Push lock system and silver plated solder contacts*

NC5FP1



- Cannon femmina 5 poli da pannello con corpo in metallo flangia passo "D". Sistema di bloccaggio, connessioni a saldare argentate
- *5 pole panel mount cannon female "D" shape flange and nickel housing. Push lock system and silver plated solder contacts*

NC3FXS



- Cannon femmina volante 3 poli con interruttore; corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole cannon female with noiseless ON-OFF switch, nickel housing, silver plated contacts chuck type strain relief and rubber cable guide*

NC3MP



- Cannon maschio 3 poli da pannello con corpo in metallo flangia passo "D". Connessioni a saldare argentate
- *3 pole panel mount cannon male "D" shape flange and nickel housing. Silver plated solder contacts*

NC3MPX



- Cannon maschio 3 poli da pannello con corpo in metallo flangia passo "D". Connessioni a saldare argentate
- *3 pole panel mount cannon male "D" shape flange and nickel housing. Silver plated solder contacts*

NC5MP



- Cannon maschio 5 poli da pannello con corpo in metallo flangia passo "D". Connessioni a saldare argentate
- *5 pole panel mount cannon male "D" shape flange and nickel housing. Silver plated solder contacts*

NCJ6FIS



- Connettore COMBO da pannello cannon femmina 3 poli/jack bilanciato Ø 6,3 mm con corpo in plastica flangia passo "D". Sistema di bloccaggio, connessioni a saldare dorate
- *COMBO connector 3 pole panel cannon female / Ø 6,3 mm balanced jack with plastic housing, "D" shape flange. Push lock system and gold plated solder contacts*

CONNETTORI SPEAKON® NEUTRIK® NEUTRIK® SPEAKON® CONNECTORS

NL2FXXWS



- Speakon® femmina volante 2 poli. Corpo in plastica, sistema di bloccaggio e doppia pinza stringicavo per cavi con diametro da 5 a 10 mm
- *2 pole female Speakon® connector. Plastic body, locking system and double chuck type strain relief for 5 to 10 mm cable O.D.*

NL4FXXWS



- Speakon® femmina volante 4 poli. Corpo in plastica, sistema di bloccaggio e doppia pinza stringicavo per cavi con diametro da 5 a 10 mm
- *4 pole female Speakon® connector. Plastic body, locking system and double chuck type strain relief for 5 to 10 mm cable O.D.*

NL4MPXX



- Speakon® maschio da pannello 4 poli, corpo in plastica flangia passo "D"
- *Panel mount 4 pole male Speakon® connector, black plastic "D" shape flange*

NL8MM



- Adattatore Speakon® maschio/maschio 8 poli, corpo in plastica
- *Lockable 8 pole Speakon® male / male adaptor, plastic body*

CONNETTORI POWERCON® NEUTRIK® NEUTRIK® POWERCON® CONNECTORS

NAC3FXXAWS



- Connettore volante per ingresso corrente, 2P+T, corpo in plastica con sistema di bloccaggio
- Lockable connector, power-in 2P+T, plastic body

NAC3MPA



- Connettore da pannello per ingresso corrente, 2P+T, corpo in plastica flangia passo "D"
- Panel mount connector, power-in 2P+T, plastic "D" shape flange

NAC3F_TR1S



- Connettore femmina volante Powercon® True1, corpo in plastica impermeabile quando connesso, con sistema di bloccaggio
- Lockable female connector Powercon® True 1, waterproof plastic body when plugged in

NAC3FXXBWS



- Connettore volante per uscita corrente, 2P+T, corpo in plastica con sistema di bloccaggio
- Lockable connector, power-out 2P+T, plastic body

NAC3MPB



- Connettore da pannello per uscita corrente, 2P+T, corpo in plastica con sistema di bloccaggio
- Panel mount connector, power-out 2P+T, plastic "D" shape flange

NAC3M_TR1S



- Connettore maschio volante Powercon® True1, corpo in plastica impermeabile quando connesso, con sistema di bloccaggio
- Lockable male connector Powercon® True 1, waterproof plastic body when plugged in

CONNETTORI NEUTRIK® PER TRASMISSIONE DATI NEUTRIK® DATA TRANSMISSION CONNECTORS

NE8MX-1



- Connettore volante metallico EtherCon® per alloggiamento di connettori RJ45 (connettore RJ45 non incluso). Adatto per cavi con diametro da 3,5 ad 8 mm
- *EtherCon® metal connector for RJ45 connectors (RJ45 connector not included). Suitable for 3,5 to 8 mm O.D. cables*

NE8FDP



- Connettore da pannello femmina RJ45 per trasmissione dati, connessione passante. Corpo in metallo con blocco di sicurezza, flangia passo "D"
- *Panel mount female RJ45 feedthrough connector for data transmission. Metal "D" shape flange with latch lock system*

NE8FDY



- Connettore da pannello femmina RJ45 per trasmissione dati, connessioni a crimpare. Corpo in metallo con blocco di sicurezza, flangia passo "D"
- *Panel mount female RJ45 crimping connector for data transmission. Metal "D" shape flange with latch lock system*

CONNETTORI CANNON CANNON CONNECTORS

BX3FS



- Cannon femmina volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole cannon female with metal housing, silver plated contacts strain relief and rubber cable guide*

BX3FB



- Cannon femmina volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma, colore nero
- *3 pole cannon female with black metal housing, silver plated contacts strain relief and rubber cable guide, black color*

BX3MS



- Cannon maschio volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole cannon male with metal housing, silver plated contacts strain relief and rubber cable guide*

BX3MB



- Cannon maschio volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma, colore nero
- *3 pole cannon male with black metal housing, silver plated contacts strain relief and rubber cable guide, black color*

XLR3FX



- Cannon femmina volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole cannon female with metal housing, silver plated contacts strain relief and rubber cable guide*

XLR3MX



- Cannon maschio volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole cannon male with metal housing, silver plated contacts strain relief and rubber cable guide*

XLR3FXN



- Cannon femmina volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma, colore nero
- *3 pole cannon female with black metal housing, silver plated contacts strain relief and rubber cable guide, black color*

XLR3MXN



- Cannon maschio volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma, colore nero
- *3 pole cannon male with black metal housing, silver plated contacts strain relief and rubber cable guide, black color*

XLR3FXM



- Cannon femmina volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Molla guida cavo prolungata
- *3 pole cannon female with metal housing, silver plated contacts, strain relief and extra long spring cable guide*

XLR3MXM



- Cannon maschio volante 3 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Molla guida cavo prolungata
- *3 pole cannon male with metal housing, silver plated contacts strain relief and extra long spring cable guide*

SK038



- Cannon femmina volante 3 poli 90° con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole right-angle cannon female with metal housing, silver plated contacts strain relief and rubber cable guide*

SK037



- Cannon maschio volante 3 poli 90° con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *3 pole right-angle cannon male with metal housing, silver plated contacts strain relief and rubber cable guide*

XLR4FX



- Cannon femmina volante 4 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *4 pole cannon female with metal housing, silver plated contacts strain relief and rubber cable guide*

XLR5FX



- Cannon femmina volante 5 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *5 pole cannon female with metal housing, silver plated contacts strain relief and rubber cable guide*

XLR3FP



- Cannon femmina 3 poli da pannello con corpo in metallo flangia passo "D". Sistema di bloccaggio, connessioni a saldare argentate
- *3 pole panel mount cannon female "D" shape flange and metal housing. Push lock system and silver plated solder contacts*

XLR4FP



- Cannon femmina 4 poli da pannello con corpo in metallo flangia passo "D". Sistema di bloccaggio, connessioni a saldare argentate
- *4 pole panel mount cannon female "D" shape flange and metal housing. Push lock system and silver plated solder contacts*

XLR4MX



- Cannon maschio volante 4 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *4 pole cannon male with metal housing, silver plated contacts strain relief and rubber cable guide*

XLR5MX



- Cannon maschio volante 5 poli con corpo in metallo, contatti argentati e pinza interna stringicavo. Guida cavo in gomma
- *5 pole cannon male with metal housing, silver plated contacts strain relief and rubber cable guide*

XLR3MP



- Cannon maschio 3 poli da pannello con corpo in metallo flangia passo "D". Connessioni a saldare argentate
- *3 pole panel mount cannon male "D" shape flange and metal housing. Silver plated solder contacts*

XLR4MP



- Cannon maschio 4 poli da pannello con corpo in metallo flangia passo "D". Connessioni a saldare argentate
- *4 pole panel mount cannon male "D" shape flange and metal housing. Silver plated solder contact*

XLR5FP



- Cannon femmina 5 poli da pannello con corpo in metallo flangia passo "D". Sistema di bloccaggio, connessioni a saldare argentate
- *5 pole panel mount cannon female "D" shape flange and metal housing. Push lock system and silver plated solder contacts*

XLR5MP



- Cannon maschio 5 poli da pannello con corpo in metallo flangia passo "D". Connessioni a saldare argentate
- *5 pole panel mount cannon male "D" shape flange and metal housing. Silver plated solder contacts*

XLR3FPJ



- Connettore combinato da pannello cannon femmina 3 poli/ jack bilanciato Ø 6,3 mm. Corpo in plastica con sistema di bloccaggio, connessioni a saldare argentate
- *Combined connector 3 pole panel cannon female / Ø 6,3 mm balanced jack. Plastic housing with push lock system and silver plated solder contacts*



CONNETTORI JACK MASCHIO JACK PLUG CONNECTORS

S70BK



- Spina jack mono Ø 3,5 mm con contatti dorati, corpo in alluminio con logo Bespeco e guida cavo in gomma, nero
- Ø 3,5 mm mono jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide. Black color

SS70BK



- Spina jack stereo Ø 3,5 mm con contatti dorati, corpo in alluminio con logo Bespeco e guida cavo in gomma, nero
- Ø 3,5 mm stereo jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide. Black color

S130



- Spina jack stereo Ø 3,5 mm con contatti dorati, corpo in alluminio con logo Bespeco e guida cavo in gomma.
- Ø 3,5 mm stereo jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide.

S130BK



- Spina jack stereo Ø 3,5 mm con contatti dorati, corpo in alluminio con logo Bespeco e guida cavo in gomma, nero
- Ø 3,5 mm stereo jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide. Black color

S40M



Ø 3,5mm

- Spina jack mono Ø 3,5 mm con corpo e molla guida cavo in metallo, contatti argentati
- Ø 3,5 mm mono jack plug with metal body and metal spring cable guide, silver plated contacts

SS40M



Ø 3,5mm

- Spina jack stereo Ø 3,5 mm con corpo e molla guida cavo in metallo, contatti argentati
- Ø 3,5 mm stereo jack plug with metal body and metal spring cable guide, silver plated contacts

S40MD



Ø 3,5mm

- Spina jack mono Ø 3,5 mm con corpo e molla guida cavo in metallo dorato, contatti dorati
- Ø 3,5 mm mono jack plug with gold plated metal body and spring cable guide, golden contacts

SS40MD



Ø 3,5mm

- Spina jack stereo Ø 3,5 mm con corpo e molla guida cavo in metallo dorato, contatti dorati
- Ø 3,5 mm stereo jack plug with gold plated metal body and spring cable guide, golden contacts

S60BKB



Ø 6,3mm

- Spina jack mono Ø 6,3 mm con contatti dorati, corpo in alluminio con logo Bespeco e guida cavo in gomma. Colore nero
- Ø 6,3 mm mono jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide. Black color

SS60BK



Ø 6,3mm

- Spina jack stereo Ø 6,3 mm con contatti dorati, corpo in alluminio con logo Bespeco e guida cavo in gomma. Colore nero
- Ø 6,3 mm stereo jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide. Black color

S100BK



Ø 6,3mm

- Spina jack mono Ø 6,3 mm con punta dorata, corpo in metallo e guida cavo in gomma. Colore nero
- Ø 6,3 mm mono jack plug with golden tip, metal body and rubber cable guide. Black color

S110BK



Ø 6,3mm

- Spina jack stereo Ø 6,3 mm con punta dorata, corpo in metallo e guida cavo in gomma. Colore nero
- Ø 6,3 mm stereo jack plug with golden tip, metal body and rubber cable guide. Black color

S100



- Spina jack mono Ø 6,3 mm con punta dorata, corpo in metallo con finitura perlata e guida cavo in gomma
- Mono jack plug Ø 6,3 mm with golden tip, metal body with pearl finish and rubber cable guide

S80



- Spina jack mono Ø 6,3 mm con punta dorata, corpo in metallo e guida cavo in gomma
- Ø 6,3 mm mono jack plug with golden tip, metal body and rubber cable guide

S60



- Spina jack mono Ø 6,3 mm con contatti dorati, corpo in alluminio e guida cavo in gomma. Colore grigio
- Ø 6,3 mm mono jack plug with golden contacts, aluminum body and rubber cable guide. Grey color

S60BKR



- Spina jack mono Ø 6,3 mm con contatti dorati corpo in alluminio con logo Bespeco e guida cavo in gomma. Colore grigio
- Ø 6,3 mm mono jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide. Grey color

S110



- Spina jack stereo Ø 6,3 mm con punta dorata, corpo in metallo con finitura perlata e guida cavo in gomma
- Stereo jack plug Ø 6,3 mm with golden tip, metal body with pearl finish and rubber cable guide

SS80



- Spina jack stereo Ø 6,3 mm con punta dorata, corpo in metallo e guida cavo in gomma
- Ø 6,3 mm stereo jack plug with golden tip, metal body and rubber cable guide

SS60



- Spina jack stereo Ø 6,3 mm con contatti dorati, corpo in alluminio e guida cavo in gomma. Colore grigio
- Ø 6,3 mm stereo jack plug with golden contacts, aluminum body and rubber cable guide. Grey color

S50



- Spina jack mono Ø 6,3 mm con punta dorata, corpo in metallo e molla guida cavo prolungata per diametri fino a 7 mm
- Ø 6,3 mm mono jack plug with golden tip, metal body and extra long spring cable guide for 7 mm maximum cable O.D.

SS50



- Spina jack stereo Ø 6,3 mm con punta dorata, corpo in metallo e molla guida cavo prolungata per diametri fino a 7 mm
- Ø 6,3 mm stereo jack plug with golden tip, metal body and extra long spring cable guide for 7 mm maximum cable O.D.

S10D



- Spina jack mono Ø 6,3 mm con corpo e molla guida cavo in metallo dorato per diametri fino a 6 mm, contatti dorati
- Ø 6,3 mm mono jack plug with gold plated metal body and spring cable guide for 6 mm maximum cable O.D., gold plated contacts

SS10D



- Spina jack stereo Ø 6,3 mm con corpo e molla guida cavo in metallo dorato per diametri fino a 6 mm, contatti dorati
- Ø 6,3 mm stereo jack plug with gold plated metal body and spring cable guide for 6 mm maximum cable O.D., gold plated contacts

S10



- Spina jack mono Ø 6,3 mm con corpo e molla guida cavo in metallo per diametri fino a 6 mm, contatti argentati
- Ø 6,3 mm mono jack plug with metal body and metal spring cable guide for 6 mm maximum cable O.D., silver plated contacts

SS10



- Spina jack stereo Ø 6,3 mm con corpo e molla guida cavo in metallo per diametri fino a 6 mm, contatti argentati
- Ø 6,3 mm stereo jack plug with metal body and metal spring cable guide for 6 mm maximum cable O.D., silver plated contacts

S10M



- Spina jack mono Ø 6,3 mm con corpo e molla guida cavo in plastica per diametri fino a 6 mm, contatti argentati
- Ø 6,3 mm mono jack plug with plastic body and plastic spring cable guide for 6 mm maximum cable O.D., silver plated contacts

SS10M



- Spina jack stereo Ø 6,3 mm con corpo e molla guida cavo in plastica per diametri fino a 6 mm, contatti argentati
- Ø 6,3 mm stereo jack plug with plastic body and plastic spring cable guide for 6 mm maximum cable O.D., silver plated contacts

S60BKA

Ø 6,3mm



- Spina jack mono Ø 6,3 mm 90° con contatti dorati, corpo in alluminio con logo Bespeco e guida cavo in gomma. Colore nero
- Ø 6,3 mm right-angle mono jack plug with golden contacts, aluminum body with Bespeco logo and rubber cable guide. Black color

S120

Ø 6,3mm



- Spina jack mono Ø 6,3 mm 90° con punta dorata, corpo in metallo con finitura perlata e guida cavo in gomma
- Ø 6,3 mm right-angle mono jack plug with golden tip, metal body with pearl finish and rubber cable guide

S90

Ø 6,3mm



- Spina jack mono Ø 6,3 mm 90° con corpo in metallo, contatti argentati e guida cavo in plastica
- Ø 6,3 mm right-angle mono jack plug with metal body, silver plated contacts and plastic cable guide

S30N

Ø 6,3mm



- Spina jack mono Ø 6,3 mm 90° con corpo e molla guida cavo prolungata in metallo, punta dorata
- Ø 6,3 mm right-angle mono jack plug with metal body and extra long spring cable guide, golden tip

S120BK

Ø 6,3mm



- Spina jack mono Ø 6,3 mm 90° con punta dorata, corpo in alluminio con logo Bespeco e guida cavo in gomma, nero
- Ø 6,3 mm right-angle mono jack plug with golden tip, aluminum body with Bespeco logo and rubber cable guide. Black color

SS90

Ø 6,3mm



- Spina jack stereo Ø 6,3 mm 90° corpo in metallo, contatti argentati e guida cavo in plastica
- Ø 6,3 mm right-angle stereo jack plug with metal body, silver plated contacts and plastic cable guide

S30

Ø 6,3mm



- Spina jack mono Ø 6,3 mm 90° con corpo e molla guida cavo in metallo, contatti argentati
- Ø 6,3 mm right-angle mono jack plug with metal body, silver plated contacts and spring cable guide

S20

Ø 6,3mm



- Spina jack mono Ø 6,3 mm 90° con corpo in metallo e contatti argentati
- Ø 6,3 mm right-angle mono jack plug with metal body and silver plated contacts

SS20

Ø 6,3mm



- Spina jack stereo Ø 6,3 mm 90° con corpo in metallo e contatti argentati
- Ø 6,3 mm right-angle stereo jack plug with metal body and silver plated contacts

SKA

Ø 6,3mm



- Spina jack mono Ø 6,3 mm con corpo e guida cavo in gomma cloroprenica per diametri fino a 7 mm. Contatti argentati
- Ø 6,3 mm mono jack plug with chloroprenic rubber body and cable guide for 7 mm maximum cable O.D. Silver plated contacts

SKB

Ø 6,3mm



- Spina jack stereo Ø 6,3 mm con corpo e guida cavo in gomma cloroprenica per diametri fino a 7 mm. Contatti argentati
- Ø 6,3 mm stereo jack plug with chloroprenic rubber body and cable guide for 7 mm maximum cable O.D. Silver plated contacts

SKF

Ø 6,3mm



- Spina jack mono "jumbo" Ø 6,3 mm con corpo e guida cavo in gomma cloroprenica per diametri fino a 9 mm. Contatti argentati
- Ø 6,3 mm "jumbo" mono jack plug with chloroprenic rubber body and cable guide for 9 mm maximum cable O.D. Silver plated contacts

VP1NG

Ø 6,3mm



- Spina jack mono Ø 6,3 mm con punta dorata, corpo e guida cavo in gomma cloroprenica nera per diametri fino a 7 mm. Logo "Viper"
- Ø 6,3 mm mono jack plug with golden tip, black chloroprenic rubber body and cable guide for 7 mm maximum cable O.D. "Viper" logo

VP1FV

Ø 6,3mm




- Spina jack mono Ø 6,3 mm con punta dorata, corpo e guida cavo in gomma cloroprenica viola per diametri fino a 7 mm, fucsia. Logo "Viper"
- Ø 6,3 mm mono jack plug with golden tip, violet chloroprenic rubber body and cable guide for 7 mm maximum cable O.D. "Viper" logo

VP1G

Ø 6,3mm



- Spina jack mono Ø 6,3 mm con connessioni dorate, corpo e guida cavo in gomma cloroprenica per diametri fino a 7 mm. Logo "Viper"
- Ø 6,3 mm mono jack plug with golden contacts, chloroprenic rubber body and cable guide for 7 mm maximum cable O.D. "Viper" logo

A close-up, high-contrast photograph of a female jack connector. The main body is a cylindrical metal piece with a knurled texture for grip. It features several concentric rings and a central threaded hole. The lighting is dramatic, highlighting the metallic sheen and the intricate details of the knurling. The background is dark and out of focus.

CONNETTORI JACK FEMMINA
JACK SOCKET CONNECTORS

SS70BF



Ø 3,5mm

- Presa jack stereo Ø 3,5 mm con corpo in alluminio, contatti dorati e gommino guida cavo
- Ø 3,5 mm stereo jack socket with aluminium body, gold-plated contacts and cable guide rubber

PS40I



Ø 3,5mm

- Presa jack stereo Ø 3,5 mm con corpo e molla guida cavo in plastica. Contatti argentati
- Ø 3,5 mm stereo jack socket with plastic body and plastic spring cable guide. Silver plated contacts

P40M



Ø 3,5mm

- Presa jack mono Ø 3,5 mm con corpo e molla guida cavo in metallo. Contatti argentati
- Ø 3,5 mm mono jack socket with metal body and metal spring cable guide. Silver plated contacts

PS40M



Ø 3,5mm

- Presa jack stereo Ø 3,5 mm con corpo e molla guida cavo in metallo. Contatti argentati
- Ø 3,5 mm stereo jack socket with metal body and metal spring cable guide. Silver plated contacts

PV1



Ø 6,3mm

- Presa jack mono Ø 6,3 mm con corpo e molla guida cavo in metallo per diametri fino a 6 mm. Contatti argentati
- Ø 6,3 mm mono jack socket with metal body and metal spring cable guide for 6 mm maximum cable O.D. Silver plated contacts

PV3



Ø 6,3mm

- Presa jack stereo Ø 6,3 mm con corpo e molla guida cavo in metallo per diametri fino a 6 mm. Contatti argentati
- Ø 6,3 mm stereo jack socket with metal body and metal spring cable guide for 6 mm maximum cable O.D. Silver plated contacts

P3V



- Presa jack stereo Ø 6,3 mm con blocco di sicurezza. Corpo in metallo e guida cavo in gomma
- Ø 6,3 mm stereo jack socket with lock system. Metal body and rubber cable guide

P10S



- Presa jack stereo Ø 6,3 mm da pannello con corpo in plastica e contatti a saldare, completa di dado
- Ø 6,3 mm panel mount stereo jack socket with plastic body and solder contacts. Nut included

P12



- Presa jack mono Ø 6,3 mm da pannello con corpo in plastica e contatti per circuito stampato, completa di dado
- Ø 6,3 mm panel mount mono jack socket. Plastic body and PCB contacts. Nut included

P13S



- Presa jack stereo Ø 6,3 mm da pannello con interruttore. Corpo in plastica e contatti per circuito stampato, completa di dado
- Ø 6,3 mm panel mount stereo jack socket with switch. Plastic body and PCB contacts. Nut included

P3P



- Presa jack stereo Ø 6,3 mm da pannello con sistema di bloccaggio e flangia passo "D"
- Ø 6,3 mm panel mount stereo jack socket with lock system. "D" shape flange

P11



- Presa jack mono Ø 6,3 mm da pannello con interruttore. Corpo in plastica e contatti a saldare, completa di dado
- Ø 6,3 mm panel mount mono jack socket with switch. Plastic body and solder contacts. Nut included

P12S



- Presa jack stereo Ø 6,3 mm da pannello con corpo in plastica e contatti per circuito stampato, completa di dado
- Ø 6,3 mm panel mount stereo jack socket. Plastic body and PCB contacts. Nut included



A close-up, high-contrast photograph of a Mini Cannon connector. The connector is made of polished metal and features a black, dome-shaped button on top. The front face shows a circular arrangement of pins, with the numbers 1, 2, 3, and 4 visible. The background is dark and out of focus.

CONNETTORI MINI CANNON
MINI CANNON CONNECTORS

XLR3FXS



- Mini cannon 3 poli femmina volante con corpo in metallo e guida cavo in plastica
- *3 pole female mini cannon with metal housing and plastic cable guide*

XLR3MXS



- Mini cannon 3 poli maschio volante con corpo in metallo e guida cavo in plastica
- *3 pole male mini cannon with metal housing and plastic cable guide*

XLR3MPS



- Mini cannon 3 poli maschio da pannello con corpo in metallo e flangia a vite. Completo di dado
- *3 pole panel mount male mini cannon with metal housing and screw type flange. Nut included*

XLR4FXS




- Mini cannon 4 poli femmina volante con corpo in metallo e guida cavo in plastica
- *4 pole female mini cannon with metal housing and plastic cable guide*

XLR4MXS



- Mini cannon 4 poli maschio volante con corpo in metallo e guida cavo in plastica
- *4 pole male mini cannon with metal housing and plastic cable guide*

A close-up photograph of a black plastic speaker connector. The connector has a cylindrical shape with a flange at the front. A blue braided cable is attached to the back. The connector features several gold-plated metal contacts. The background is dark and out of focus.

CONNETTORI PER SPEAKER
SPEAKER CONNECTORS

SK102/4P



- Connettore per speaker femmina volante 4 poli. Corpo in plastica con sistema di bloccaggio e guida cavo in gomma
- *4 pole female speaker connector. Plastic body, locking system and rubber cable guide*

SK101/4P



- Connettore per speaker maschio volante 4 poli. Corpo in plastica e guida cavo in gomma
- *4 pole male speaker connector. Plastic body and rubber cable guide*

SK103/4P



- Connettore per speaker femmina volante 4 poli. Corpo in plastica con sistema di bloccaggio
- *4 pole female speaker connector. Plastic body and locking system*

SK097



- Connettore per speaker maschio da pannello 4 poli. Corpo in plastica, flangia quadrata
- *4 pole panel mount male speaker connector. Plastic body and squared shape flange*

SK098



- Connettore per speaker maschio da pannello 4 poli. Corpo in plastica, flangia passo "D"
- *4 pole panel mount male speaker connector. Plastic body and "D" shape flange*

SK100/4P



- Adattatore accoppiatore per connettori speaker maschio/maschio 4 poli. Corpo in plastica
- *4 pole male / male speaker connectors adaptor. Plastic body*

CONNETTORI RCA MASCHIO

RCA PLUG CONNECTORS

MRCABKB



- Spina RCA dorata, corpo in alluminio nero con logo Bespeco e guida cavo in gomma
- *RCA golden plug, black aluminum body with Bespeco logo and rubber cable guide*

MRCABKR



- Spina RCA dorata, corpo in alluminio grigio con logo Bespeco e guida cavo in gomma
- *RCA golden plug, grey aluminum body with Bespeco logo and rubber cable guide*

MRCA1BKB



- Spina RCA dorata, corpo in alluminio nero con logo Bespeco e guida cavo in gomma nero
- *RCA golden plug, black aluminum body with Bespeco logo and black rubber cable guide*

MRCA1BKR



- Spina RCA dorata, corpo in alluminio nero con logo Bespeco e guida cavo in gomma rosso
- *RCA golden plug, grey aluminum body with Bespeco logo and red rubber cable guide*

MRCA1B



- Spina RCA dorata, corpo in alluminio con finitura perlata e con logo Bespeco, guida cavo in gomma nero
- *Golden RCA plug, aluminum body with pearl finish and bespeco logo, black rubber cable guide*

MRCA1R



- Spina RCA dorata, corpo in alluminio con finitura perlata e con logo Bespeco, guida cavo in gomma rosso
- *Golden RCA plug, aluminum body with pearl finish and bespeco logo, red rubber cable guide*

MMRCA



- Spina RCA dorata con corpo in ottone nichelato. Indice colore nero
- *RCA golden plug with nickel-plated brass body. Black ring*

MMRCAR



- Spina RCA dorata con corpo in ottone nichelato. Indice colore rosso
- *RCA golden plug with nickel-plated brass body. Red ring*

MMRCAB



- Spina RCA dorata con corpo in alluminio lucido. Indice colore nero
- *RCA golden plug with black shiny aluminum body. Black ring*

MMRCABR



- Spina RCA dorata con corpo in alluminio lucido. Indice colore rosso
- *RCA golden plug with black shiny aluminum body. Red ring*

MMRCAG



- Spina RCA dorata con corpo in ottone dorato. Indice colore nero
- *RCA golden plug with gold-plated brass body. Black ring*

MMRCAGR



- Spina RCA dorata con corpo in ottone dorato. Indice colore rosso
- *RCA golden plug with gold-plated brass body. Red ring*

MRCAM



- Spina RCA in ottone nichelato. Indice colore nero e molla guida cavo
- *RCA plug with nickel-plated brass body. Black ring and spring cable guide*

MRCAMR



- Spina RCA in ottone nichelato. Indice colore rosso e molla guida cavo
- *RCA plug with nickel-plated brass body. Red ring and spring cable guide*

CONNETTORI RCA FEMMINA RCA SOCKET CONNECTORS

FRCABKB



- Presa RCA dorata, corpo in alluminio nero con logo Bespeco e guida cavo in gomma
- RCA golden socket, black aluminum body with Bespeco logo and rubber cable guide

FRCABKR



- Presa RCA dorata, corpo in alluminio grigio con logo Bespeco e guida cavo in gomma
- RCA golden socket, with grey aluminum body with Bespeco logo and rubber cable guide

FMRCA



- Presa RCA dorata con corpo in ottone nichelato. Indice colore nero
- RCA golden socket with nickel-plated brass body. Black ring

FMRCAR



- Presa RCA dorata con corpo in ottone nichelato. Indice colore rosso
- RCA golden socket with nickel-plated brass body. Red ring

RCAFP



- Presa RCA da pannello con contatti a saldare. Flangia in metallo passo "D". Indice colore nero
- Panel mount RCA socket with solder contacts. "D" shape metal flange. Black ring

RCAFPR



- Presa RCA da pannello con contatti a saldare. Flangia in metallo passo "D". Indice colore rosso
- Panel mount RCA socket with solder contacts. "D" shape metal flange. Red ring

CONNETTORI DIN DIN CONNECTORS

CDINMM5



- Spina volante DIN 5 poli, corpo e guida cavo in plastica
- 5 pole DIN plug with plastic body and plastic cable guide

CDINMM5M



- Spina volante DIN 5 poli, corpo in metallo e guida cavo in plastica
- 5 pole DIN plug with metal body and plastic cable guide

CONNETTORI VIDEO VIDEO CONNECTORS

CBN2T



- Adattatore BNC da un maschio a due femmine
- *BNC adaptor male – double female*

CBNRCM



- Adattatore da BNC maschio a RCA maschio
- *BNC male – RCA male adaptor*

CBNRCF



- Adattatore da BNC maschio a RCA femmina
- *BNC male – RCA female adaptor*

CBNFRCM



- Adattatore da BNC femmina a RCA maschio
- *BNC female – RCA male adaptor*

CBNFRCF



- Adattatore da BNC femmina a RCA femmina
- *BNC female – RCA female adaptor*

CBN9CFFP



- BNC femmina da pannello con connessione passante, corpo in metallo flangia passo "D"
- *Panel mount metal BNC female, feedthrough contacts version and "D" shape flange*

RCAFPG



- Connettore video RCA da pannello con terminali a saldare, corpo in metallo flangia passo "D"
- *Panel mount metal RCA female, solder contacts version and "D" shape flange*

######

CONNETTORI VDE VDE CONNECTORS

TMV



- Spina volante VDE tripolare in plastica
- *Three-pole plastic VDE plug*

TF



- Presa volante VDE tripolare in plastica
- *Three-pole plastic VDE socket*

ADATTATORI SILOS SILOS ADAPTORS

THE FOREVER AND EVER ADAPTORS



Noi alla Bespeco abbiamo la buona abitudine di non fermarci mai agli standard imposti dal mercato.

Per questo abbiamo dato vita alla serie di adattatori professionali SILOS. Design accattivante a profilo ridotto, blister a conchiglia, connettori placcati oro 24K, impugnatura ergonomica, serigrafie di connessione riportate su entrambi i lati e soprattutto un nuovo standard di connessione interna realizzato tramite il cablaggio manuale dei connettori protetto dal rivestimento esterno in bagno di resina. Aprite pure un classico adattatore e capirete perché noi alla Bespeco non ci adattiamo!

In Bespeco we have the good habit to never suit us for the standards imposed by the market.

For the above reason we designed the SILOS series of professional adaptors. Winning slim low-profile design, double shell blister, 24K gold plated patchplugs, ergonomic hilt, explanation of the connection on both sides and above all a new standard of connection realized through the hand wiring of the patchplugs subsequently protected through the external resin bath covering. Please open a classic adaptor and you will understand why in Bespeco we don't "adapt" ourselves!



A CONNESSIONI PLACCATE ORO 24K • 24K GOLD PLATED CONTACTS

Connettori placcati oro 24K per offrire il massimo della qualità di connessione
24K gold plated connectors to offer the maximum connection quality

B DESIGN A PROFILO RIDOTTO • LOW-PROFILE DESIGN

Il profilo minimo dell'adattatore consente l'impiego anche con strumentazione micro (es: schede di Hard-Disk recording, strumentazioni a 1/2 unità rack, lettori MP3, ecc.)

The slim low-profile design allows you to use the adaptor with micro gear (ex. MP3 player, Hard-Disk recording interfaces, 1/2 rack unit gear, smartphone, etc.)

C SERIGRAFIE ESPLICATIVE • EXPLANATORY SILK PRINTINGS

Le specifiche del tipo di adattatore (es: stereo-mono) sono riportate specularmente su entrambi i lati dell'adattatore per "ricordare" facilmente che tipo di connessioni si utilizzano

The specifications of the adaptor type (ex: stereo-mono) are printed on both sides of the adaptor, easily identifying what kind of interconnection is in use

D IMPUGNATURA ERGONOMICA • ERGONOMIC HILT

Entrambi i lati dell'adattatore presentano una zigrinatura in rilievo per facilitare la presa delle dita durante l'inserimento/estrazione dell'adattatore

Both sides of the adaptor have a grip to facilitate the insertion/extraction of the adaptor

ADATTATORE SILOS SILOS ADAPTOR

CONNESSIONI CABLATE A MANO HAND-WIRED CONNECTIONS

La connessione interna è realizzata a mano collegando i connettori tramite cavo, proteggendolo successivamente tramite il rivestimento esterno in bagno di resina. In questo modo si garantisce a VITA la connessione perfetta!

The inside connection is hand-wired linking the plugs through cables, protecting them through the external resin bath covering. In this way, a perfect connection is LIFETIME guaranteed!



cavi di collegamento saldati a mano
hand-soldered connection cables

bagno di resina pressofusa
external covering drowned in the resin

ADATTATORE STANDARD STANDARD ADAPTOR

L'adattatore standard utilizza delle lamelle di contatto tra le connessioni suscettibili di ossidazione, mancato contatto, interruzione di segnale, ecc.

The typical adaptor uses thin metal contact plates among the connections. They are susceptible to oxidation, intermittent contact and loss of signal.



connessioni a lamelle
thin metal contact plates

SLAD100



- Spina jack mono Ø 3,5 mm --> presa jack mono Ø 6,3 mm
- Ø 3,5 mm mono jack plug --> Ø 6,3 mm mono jack socket

SLAD110



- Presa jack stereo Ø 6,3 mm --> presa jack stereo Ø 6,3 mm
- Ø 6,3 mm stereo jack socket --> Ø 6,3 mm stereo jack socket

SLAD120



- Cannon femmina --> presa jack mono Ø 6,3 mm
Non bilanciato
- Cannon female --> Ø 6,3 mm mono jack socket
Unbalanced

SLAD125



- Cannon maschio --> presa jack mono Ø 6,3 mm
Non bilanciato
- Cannon male --> Ø 6,3 mm mono jack socket
Unbalanced

SLAD135



- Spina jack mono Ø 3,5 mm --> presa jack stereo Ø 6,3 mm
- Ø 3,5 mm mono jack plug --> Ø 6,3 mm stereo jack socket

SLAD140



- Spina jack stereo Ø 3,5 mm --> presa jack stereo Ø 6,3 mm
- Ø 3,5 mm stereo jack plug --> Ø 6,3 mm stereo jack socket

SLAD165



- Spina jack mono Ø 3,5 mm --> 2 x presa jack mono Ø 6,3 mm
- Ø 3,5 mm mono jack plug --> 2 x Ø 6,3 mm mono jack socket

SLAD170



- Spina jack stereo Ø 3,5 mm --> 2 x presa jack stereo Ø 6,3 mm
- Ø 3,5 mm stereo jack plug --> 2 x Ø 6,3 mm stereo jack socket

SLAD180



- Spina jack stereo Ø 6,3 mm --> 2 x presa jack stereo Ø 6,3 mm
- Ø 6,3 mm stereo jack plug --> 2 x Ø 6,3 mm stereo jack socket

SLAD200



- Spina jack mono Ø 6,3 mm --> presa jack mono Ø 3,5 mm
- Ø 6,3 mm mono jack plug --> Ø 3,5 mm mono jack socket

SLAD205



- Spina RCA --> presa jack mono Ø 3,5 mm
- RCA plug --> Ø 3,5 mm mono jack socket

SLAD210



- Spina jack stereo Ø 6,3 mm --> presa jack stereo Ø 3,5 mm
- Ø 6,3 mm stereo jack plug --> Ø 3,5 mm stereo jack socket

SLAD230



- Spina jack stereo Ø 6,3 mm --> 2 x presa jack stereo Ø 3,5 mm
- Ø 6,3 mm stereo jack plug --> 2 x Ø 3,5 mm stereo jack socket

SLAD305



- Spina jack mono Ø 6,3 mm --> presa RCA
- Ø 6,3 mm mono jack plug --> RCA socket

SLAD315



- Cannon maschio --> presa RCA
- Cannon male --> RCA socket

SLAD345



- Tripla presa RCA --> tripla presa RCA
- 3 x RCA socket --> 3 x RCA socket

SLAD380



- Spina jack stereo Ø 3,5 mm --> doppia presa RCA
- Ø 3,5 mm stereo jack plug --> 2 x RCA socket

SLAD500



- Spina jack mono Ø 6,3 mm --> cannon femmina Non bilanciato
- Ø 6,3 mm mono jack plug --> cannon female Unbalanced

SLAD510



- Spina jack mono Ø 6,3 mm --> cannon maschio
Non bilanciato
- Ø 6,3 mm mono jack plug --> cannon male
Unbalanced

SLAD520



- Cannon maschio --> cannon maschio
- Cannon male --> cannon male

SLAD515



- Spina jack stereo Ø 6,3 mm --> cannon maschio
Bilanciato
- Ø 6,3 mm stereo jack plug --> cannon male
Balanced

SLAD525



- Cannon femmina --> cannon femmina
- Cannon female --> cannon female



######

AD146



- Spina jack stereo Ø 3,5 mm --> 2 x presa jack mono Ø 6,3 mm
- Ø 3,5 mm stereo jack plug --> 2 x Ø 6,3 mm mono jack socket

AD160



- Spina jack stereo Ø 3,5 mm --> 2 x presa RCA
- Ø 3,5 mm stereo jack plug --> 2 x RCA socket

AD200



- Spina jack mono Ø 6,3 mm --> presa jack mono Ø 3,5 mm
- Ø 6,3 mm mono jack plug --> Ø 3,5 mm mono jack socket

AD190



- Spina jack stereo Ø 6,3 mm --> presa jack stereo Ø 3,5 mm
- Ø 6,3 mm stereo jack plug --> Ø 3,5 mm stereo jack socket

AD10



- Spina jack mono Ø 6,3 mm --> presa jack stereo Ø 6,3 mm
- Ø 6,3 mm mono jack plug --> Ø 6,3 mm stereo jack socket

AD130



- Spina jack mono Ø 6,3 mm --> 2 x presa jack mono Ø 6,3 mm
- Ø 6,3 mm mono jack plug --> 2 x Ø 6,3 mm mono jack socket

AD30



- Spina jack stereo Ø 6,3 mm --> 2 x presa jack stereo Ø 6,3 mm
- Ø 6,3 mm stereo jack plug --> 2 x Ø 6,3 mm stereo jack socket

AD175



- Spina jack stereo Ø 6,3 mm --> 2 x presa jack stereo Ø 3,5 mm
- Ø 6,3 mm stereo jack plug --> 2 x Ø 3,5 mm stereo jack socket

AD65



- Spina jack mono Ø 6,3 mm --> presa RCA
- Ø 6,3 mm mono jack plug --> RCA socket

AD165



- Spina jack mono Ø 6,3 mm --> 2 x presa RCA
- Ø 6,3 mm mono jack plug --> 2 X RCA socket

AD170



- Spina jack stereo Ø 6,3 mm --> 2 x presa RCA
- Ø 6,3 mm stereo jack plug --> 2 X RCA socket

AD60



- Spina RCA --> presa jack mono Ø 6,3 mm
- RCA plug --> Ø 6,3 mm mono jack socket

AD75



- Presa RCA --> presa RCA
- RCA socket --> RCA socket

AD150



- Spina RCA --> 2 x presa RCA
- RCA plug --> 2 x RCA socket

PV2P



- Presa jack mono Ø 6,3 mm --> presa jack mono Ø 6,3 mm
Corpo in plastica
- Ø 6,3 mm mono jack socket --> Ø 6,3 mm mono jack socket
Plastic body

PV4P



- Presa jack stereo Ø 6,3 mm --> presa jack stereo Ø 6,3 mm
Corpo in plastica
- Ø 6,3 mm stereo jack socket --> Ø 6,3 mm stereo jack socket
Plastic body

AD5M



- Presa jack stereo Ø 6,3 mm --> jack stereo Ø 3,5 mm
Corpo in metallo
- Ø 6,3 mm stereo jack socket --> Ø 3,5 mm stereo jack.
Metal body

AD190M



- Presa jack stereo Ø 3,5 mm --> jack stereo Ø 6,3 mm
Corpo in metallo
- Ø 3,5 mm stereo jack socket --> Ø 6,3 mm stereo jack
Metal body

PV2



- Presa jack mono Ø 6,3 mm --> presa jack mono Ø 6,3 mm
Corpo in metallo
- Ø 6,3 mm mono jack socket --> Ø 6,3 mm mono jack socket
Metal body

PV4




- Presa jack stereo Ø 6,3 mm --> presa jack stereo Ø 6,3 mm
Corpo in metallo
- Ø 6,3 mm stereo jack socket --> Ø 6,3 mm stereo jack socket
Metal body

PV4M




- Presa jack stereo Ø 3,5 mm --> presa jack stereo Ø 3,5 mm
Corpo in metallo
- Ø 3,5 mm stereo jack socket --> Ø 3,5 mm stereo jack socket
Metal body

ADKD



- Doppia spina jack mono Ø 6,3 mm in metallo
ideale per l'accoppiamento di pedali effetto

ADKW



- Doppia spina jack mono Ø 6,3 mm in metallo - eccentrico
ideale per l'accoppiamento di pedali effetto
- Ø 6,3 mm double mono jack plug - eccentric
ideal for effect pedals coupling

AD50



- Cannon maschio --> spina jack mono Ø 6,3 mm
Non bilanciato
- Cannon plug --> Ø 6,3 mm mono jack plug
Unbalanced

AD230



- Cannon maschio --> spina jack stereo Ø 6,3 mm bilanciato
- Cannon male --> Ø 6,3 mm stereo jack plug balanced

AD240



- Cannon femmina --> spina jack stereo Ø 6,3 mm bilanciato
- Cannon female --> Ø 6,3 mm stereo jack plug balanced

AD85S



- Cannon maschio --> presa jack stereo Ø 6,3 mm bilanciato
- Cannon male --> Ø 6,3 mm stereo jack socket balanced

AD90



- Cannon maschio --> cannon maschio bilanciato
- Cannon male --> cannon male balanced

AD45



- Cannon femmina --> spina jack mono Ø 6,3 mm non bilanciato
- Cannon female --> Ø 6,3 mm mono jack plug unbalanced

AD85



- Cannon maschio --> presa jack mono Ø 6,3 mm non bilanciato
- Cannon male --> Ø 6,3 mm mono jack socket unbalanced

AD55



- Cannon femmina --> presa jack stereo Ø 6,3 mm bilanciato
- Cannon female --> Ø 6,3 mm stereo jack socket balanced

AD95



- Cannon femmina --> cannon femmina bilanciato
- Cannon female --> cannon female balanced

AD100



- Cannon maschio --> cannon femmina
Invertitore di fase
- Cannon male --> cannon female
Phase inverter

SK085



- Cannon femmina --> spina RCA
- Cannon female --> RCA plug

SK086



- Cannon maschio --> spina RCA
- Cannon male --> RCA plug

SK087



- Cannon femmina --> presa RCA
- Cannon female --> RCA socket

SK088



- Cannon maschio --> presa RCA
- Cannon male --> RCA socket

AD3F5M

DMX



- Cannon maschio 5 poli --> cannon femmina 3 poli
- 5 pole cannon male --> 3 pole cannon female

AD3M5F

DMX



- Cannon maschio 3 poli --> cannon femmina 5 poli
- 3 pole cannon male --> 5 pole cannon female

